

## DECLARATION

№ 022576 TG A 01

Hereby "Formatt Building Products" Ltd. declares that no harmonized standards are in force for the products listed below and they do not fall within the scope of Regulation 305/2011/EU. Therefore issuing of Declaration of performance (DoP) and affixing of CE mark is not required.

Trade mark: **TECHNOGIPSpro** | Formatt Building Products Ltd., Registration address: 49B Bulgaria Blvd., Entr. A, Sofia 1404, Bulgaria | Contact address: Dospat 2 Str., Sofia 1606, Bulgaria, +359 2 805 11 66, office@technogips.bg

<b>TECHNOGIPSpro products without CE marking</b>	
1	Acoustic foam tape TECHNOGIPSpro 3,0 x 30/45/65/90 mm
2	Glassfibre joint tape TECHNOGIPSpro 50mm
3	Self-adhesive joint tape TECHNOGIPSpro 48mm
4	Nail plug TECHNOGIPSpro 6,0 x 40/60/80 mm
5	Ceiling anchor TECHNOGIPSpro 6,0 x 40/60 mm
6	Frame fitting screw for UA Profile TECHNOGIPSpro
7	Revision doors TECHNOGIPSpro 300/300; 400/400; 500/500; 600/600

In case relevant harmonized standards come into force in the future, "Formatt Building Products" Ltd. will promptly take the necessary actions for assessment of the conformity of the products, in compliance with the requirements of Regulation 305/2011/EU.



General Manager: / Petar Kaloyanov /

Sofia, Bulgaria | Date: 08.01.2018 r.

## DECLARATION OF PERFORMANCE

**№ CPR 022576 TG A 5-1-005**

1. **Unique identification code of the product-type:**  
*Aluminum angle bead 23x23 /0,4 mm TECHNOGIPSpro*
2. **Type, batch or serial number or any other element allowing identification of the construction product:**  
*Shown on the product*
3. **Intended use in accordance with the applicable harmonized technical specification:** *For forming, reinforcement and protection of corners when applying gypsum skim coat on gypsum plasterboards*
4. **Name, registered trade mark and contact address of the manufacturer:** *Trade mark: TECHNOGIPSpro | Formatt Building Products Ltd., Registration address: 49B Bulgaria Blvd., Entr. A, Sofia 1404, Bulgaria | Contact address: Dospat 2 Str., Sofia 1606, Bulgaria, +359 2 805 11 66, office@technogips.bg*
5. **Name and contact address of the authorized representative:** *Not applicable*
6. **System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V of Regulation (EC) 305/2011:** *System 4*
7. **In case of the declaration of performance concerning a construction product covered by a harmonized standard (hEN):** *The manufacturer has carried out an initial type test in accordance with EN 14353:2017. The manufacturer is ISO 9001:2015 certified and has an implemented internal production control system.*
8. **In case of declaration of performance concerning a construction product for which European Technical Assessment has been issued:** *Not applicable*
9. **Declared performance:**

Essential characteristics	Declared performance	Harmonized technical specification
Thickness	0,4 mm	EN 14353:2017
Width	23x23 mm	
Class of reaction to fire	A1	
Dimensional tolerance	pass	

10. **The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.**

*The declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.*

*Signed for and on behalf of the manufacturer by:*

  
**General Manager:** / Petar Kaloyanov /

Sofia, Bulgaria | Date: 08.01.2018 г.

## DECLARAȚIE DE PERFORMANȚĂ

### № CPR 022576 TG A 5-0-000

1. **Cod unic de identificare al produsului:**  
*Bridă pentru fixare directă CD TECHNOGIPSpro*  
*Piesa de suspendare CD (rapidă) TECHNOGIPSpro*  
*Piesă suspendare rapidă CD TECHNOGIPSpro*  
*Piesă ancorare pentru lemn TECHNOGIPSpro*  
*Piesă Nonius – inferioară TECHNOGIPSpro*  
*Piesa Nonius – superioară TECHNOGIPSpro*  
*Clemă de siguranță nonius TECHNOGIPSpro*  
*Piesă îmbinare dublă CD TECHNOGIPSpro*  
*Piesă îmbinare liniară CD TECHNOGIPSpro*  
*Tija cu inel TECHNOGIPSpro*  
*Tija cu cârlig TECHNOGIPSpro*  
*Lamela flexibilă dublă TECHNOGIPSpro*
2. **Tipul, lotul sau numărul de serie sau orice alt element care permite identificarea produsului pentru construcții astfel:** pe ambalaj
3. **Utilizarea sau utilizările preconizate ale produsului pentru construcție, în conformitate cu specificația tehnica armonizată aplicabilă:** *Accesorii de legatură mecanică în substructuri de a sprijini sistemele de gips carton.*
4. **Numele, denumirea socială sau marca înregistrată și adresa de contact a fabricantului:** *Marca comercială: TECHNOGIPSpro | Formatt Building Products Ltd., Adresa de înregistrare: Str. Dospat 2, Sofia 1606, Bulgaria, +359 2 805 11 66, office@technogipspro.com*
5. **După caz, numele și adresa de contact a reprezentantului autorizat:** *Nu este cazul*
6. **Sistemul sau sistemele de evaluare și verificare a constanței performanței produsului pentru construcții, astfel cum este prevăzut în anexa V of Regulation (EC) 305/2011:** *Sistem 4*
7. **În cazul declarației de performanță privind un produs pentru construcții acoperit de un standard armonizat (hEN):** *Producătorul a efectuat diferite cercetări pentru a determina tipul de produs în conformitate cu cerințele din EN 14195:2015. Producătorul este certificat ISO 9001: 2015 și garantează plin sistem de control al producției.*
8. **În cazul declarației de performanță pentru un produs pentru construcții pentru care s-a emis o evaluare tehnică europeană:** *Nu este cazul*
9. **Performanța declarată:**

Produs	Caracteristici esențiale					Specificatii tehnice armonizate
	Grosime, mm	Sarcină maximă admisă admF [kN]	Sarcină recomandată F [kN]	Clasa capacității portante [kN] DIN 18168-2	Clasa de reacție la foc	
<i>Bridă pentru fixare directă CD TECHNOGIPSpro</i>	0,8	0,963	0,400	0,400	A1	EN 13964:2014
<i>Piesa de suspendare CD (rapidă) TECHNOGIPSpro</i>	0,8	0,306	0,250	0,250	A1	EN 13964:2014
<i>Piesă suspendare rapidă CD TECHNOGIPSpro</i>	0,8	0,420	0,250	0,250	A1	EN 13964:2014
<i>Piesă ancorare pentru lemn TECHNOGIPSpro</i>	0,8	0,393	0,250	0,250	A1	EN 13964:2014
<i>Piesă Nonius – inferioară TECHNOGIPSpro</i>	0,8	0,426	0,400	0,400	A1	EN 13964:2014
<i>Piesa Nonius – superioară TECHNOGIPSpro</i>	0,8	0,426	0,400	0,400	A1	EN 13964:2014
<i>Clemă de siguranță nonius TECHNOGIPSpro</i>	2,5	0,426	0,400	0,400	A1	EN 13964:2014

Produs	Caracteristici esentiale					Specificatii tehnice armonizate
	Grosime, mm	Sarcină maximă admisă admF [kN]	Sarcină recomandată F [kN]	Clasa capacității portante [kN] DIN 18168-2	Clasa de reacție la foc	
Piesă îmbinare dublă CD TECHNOGIPSpro	0,90	0,528	0,400	0,400	A1	EN 13964:2014
Piesă îmbinare liniară TECHNOGIPSpro	0,5	NPD	NPD	NPD	A1	EN 13964:2014
Tija cu inel TECHNOGIPSpro	4,00	0,462	0,400	0,400	A1	EN 13964:2014
Tija cu cârlig TECHNOGIPSpro	4,00	0,462	0,400	0,400	A1	EN 13964:2014
Lamela flexibilă dublă TECHNOGIPSpro	0,60	0,462	0,400	0,400	A1	EN 13964:2014


10. Performanța produsului identificat la punctele 1 și 2 este în conformitate cu performanța declarată de la punctul 9

Această declarație de performanță este emisă pe răspunderea exclusivă a fabricantului identificat la punctul 4.

Semnată pentru și în numele fabricantului de către:

Manager General:

/ Petar Kaloyanov /



## DECLARATION OF PERFORMANCE

**№ CPR 022576 TG A 5-1-004**

1. **Unique identification code of the product-type:**  
*Paper joint tape TECHNOGIPSpro 50mm*
2. **Type, batch or serial number or any other element allowing identification of the construction product:**  
*Shown on the package*
3. **Intended use in accordance with the applicable harmonized technical specification:** *For reinforcement of gypsum plasterboard joints when applying joint fillers*
4. **Name, registered trade mark and contact address of the manufacturer:** *Trade mark: TECHNOGIPSpro | Formatt Building Products Ltd., Registration address: 49B Bulgaria Blvd., Entr. A, Sofia 1404, Bulgaria | Contact address: Dospat 2 Str., Sofia 1606, Bulgaria, +359 2 805 11 66, office@technogips.bg*
5. **Name and contact address of the authorized representative:** *Not applicable*
6. **System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V of Regulation (EC) 305/2011:** *System 4*
7. **In case of the declaration of performance concerning a construction product covered by a harmonized standard (hEN):** *The manufacturer has carried out an initial type test in accordance with EN 13963:2015. The manufacturer is ISO 9001:2015 certified and has an implemented internal production control system.*
8. **In case of declaration of performance concerning a construction product for which European Technical Assessment has been issued:** *Not applicable*
9. **Declared performance:**

Essential characteristics	Declared performance	Harmonized technical specification
Class of reaction to fire	F	EN 13963:2015
Width	50 mm	
Dimensional stability - length [%]	< 0,4 (pass)	
Dimensional stability - width [%]	< 2,5 (pass)	

10. **The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.**

*The declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.*

*Signed for and on behalf of the manufacturer by:*

  
**General Manager:** */ Petar Kaloyanov /*

Sofia, Bulgaria | Date: 08.01.2018 г.

**DECLARATION OF PERFORMANCE**  
**№ CPR 022576 TG A 5-1-006**


1. **Unique identification code of the product-type:**  
*Steel angle bead for plasters 33x33 /0,5 mm TECHNOGIPSpro*
2. **Type, batch or serial number or any other element allowing identification of the construction product:**  
*Shown on the product*
3. **Intended use in accordance with the applicable harmonized technical specification:** *For forming, reinforcement and protection of corners when plastering*
4. **Name, registered trade mark and contact address of the manufacturer:** *Trade mark: TECHNOGIPSpro | Formatt Building Products Ltd., Registration address: 49B Bulgaria Blvd., Entr. A, Sofia 1404, Bulgaria | Contact address: Dospat 2 Str., Sofia 1606, Bulgaria, +359 2 805 11 66, office@technogips.bg*
5. **Name and contact address of the authorized representative:** *Not applicable*
6. **System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V of Regulation (EC) 305/2011:** *System 4*
7. **In case of the declaration of performance concerning a construction product covered by a harmonized standard (hEN):** *The manufacturer has carried out an initial type test in accordance with EN 13658-1:2005. The manufacturer is ISO 9001:2015 certified and has an implemented internal production control system.*
8. **In case of declaration of performance concerning a construction product for which European Technical Assessment has been issued:** *Not applicable*
9. **Declared performance:**

<i>Essential characteristics</i>	<i>Declared performance</i>	<i>Harmonized technical specification</i>
<i>Thickness</i>	<i>0,5 mm</i>	<i>EN 13658-1:2005</i>
<i>Width</i>	<i>33x33 mm</i>	
<i>Class of reaction to fire</i>	<i>A1</i>	
<i>Zinc coating class</i>	<i>Z275</i>	
<i>Dimensional tolerance</i>	<i>pass</i>	

10. **The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.**

*The declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.*

*Signed for and on behalf of the manufacturer by:*

  
**General Manager:**  
*/ Petar Kaloyanov /*

Sofia, Bulgaria | Date: 08.01.2018 r.